

**RECEIVED
CENTRAL FAX CENTER**

02:52:44 p.m.

12-05-2008

7 / 14

K-C Docket No.: 19,043
Serial No.: 10/750,188

DEC 05 2008

Kuen in view of Krzysik and Van Gompel does not disclose, teach, or suggest all Appellants' claim limitations. Claims 13 and 15 are each directed to a method of making a disposable absorbent garment including, *inter alia*, a continuous web comprising a stretchable carrier layer. Kuen does not disclose, teach, or suggest that Kuen's outer layer 46 is stretchable as required by claims 13 and 15, only that it provides a relatively cloth-like texture. Similarly, Krzysik does not correct this deficiency of Kuen in that Krzysik also does not disclose, teach, or suggest that Krzysik's outer cover 32 is stretchable as required by claims 13 and 15. Finally, Van Gompel does not correct the deficiencies of Kuen and Krzysik at least in that Van Gompel does not provide a disposable absorbent garment including a stretchable carrier layer as required by claims 13 and 15. The stretchable carrier layer of the present application allows for a better fit of the absorbent garment.

As stated above, and with respect to the Examiner's comments in paragraph 2 of the "Response to Arguments" section of the July 14, 2008 Office Action, Appellants do not specifically rely on an "outer cover being elastically stretchable" as stated by the Examiner. As such, that feature does not need to be "read into the claims." In addition, the Examiner states that the outer cover of Kuen is "fully capable of being stretched when pulled" without citing evidence to that point. This is conjecture on the part of the Examiner and thus cannot form the basis of a proper rejection.

Similarly, the Examiner again has not provided an adequate motivation for combining the cited references. The Examiner posits that one would look to Krzysik to obtain a shape in which the waist is wider than the crotch. But Kuen already has this arrangement, as is apparent from Kuen's Fig. 2, for example. There is no motivation, therefore, to combine the references. Further, in paragraph 3 of the "Response to Arguments" section of the July 14, 2008 Office Action, the Examiner states that the combination of references must come from the references or from the knowledge available to one skilled in the art. The Examiner has not shown where in either reference the combination is taught, suggested, or motivated. In fact, there is nothing in either reference that relates product shape to comfort, as opined by the Examiner. In addition, the Examiner has provided no evidence of knowledge available to one skilled in the art. As a result, any teaching, suggestion, or motivation to combine the references appears to come only from conjecture on the part of the Examiner.

8 pg. of 28

K-C Docket No.: 19,043
Serial No.: 10/750,188

DEC 05 2008

For at least the reasons stated above, Appellants submit that Kuen in view of Krzysik and further in view of Van Gompel do not render obvious claims 13-16. Accordingly, Appellants respectfully ask the Examiner to withdraw this rejection.

Conclusion

For the reasons stated above it is Appellants' position that the Examiner's rejection of claims has been shown to be untenable and should be **reversed** by the Board.

Please charge the \$540.00 fee (fee code 1402), pursuant to 37 C.F.R. 41.20(b)(2), for filing this Appeal Brief to Kimberly-Clark Worldwide, Inc. deposit account number 11-0875. Any additional prosecutorial fees which are due may also be charged to deposit account number 11-0875.

The undersigned may be reached at: (920) 721-8863.

Respectfully submitted,

DANIEL R. SCHILINZ ET AL

By



Randall W. Fieldhack

Registration No.: 43,611

K-C Docket No.: 19,043
Serial No.: 10/750,188

Evidence Appendix

None.

K-C Docket No.: 19,043
Serial No.: 10/750,188

Related Proceedings Appendix

None.

K-C Docket No.: 19,043
Serial No.: 10/750,188

Claims Appendix

The claims on appeal are:

1. A disposable absorbent garment having a longitudinal direction and a lateral direction; a front waist region, a back waist region and a crotch region that connects the front waist region and the back waist region; a waist region width in the lateral direction and a crotch region width in the lateral direction that is less than the waist region width, and two longitudinal side edges, the disposable absorbent garment comprising:

a liquid barrier layer defining an inner surface, an outer surface, opposite longitudinal side edges and a liquid barrier layer width between the opposite longitudinal side edges of about the crotch region width;

a stretchable carrier layer extending from the front waist region to the back waist region and placed in facing relationship with the liquid barrier layer, the stretchable carrier layer having a width in the waist regions of about the waist region width and a width in the crotch region of about the crotch region width;

an elastic layer attached to the stretchable carrier layer, the elastic layer having an elastic layer width extending away from a lateral centerline of the disposable absorbent garment in the lateral direction from a liquid barrier layer longitudinal side edge to a disposable absorbent garment longitudinal side edge; and

an absorbent section disposed on the inner surface of the liquid barrier layer.

2. The disposable absorbent garment of claim 1, wherein the stretchable carrier layer defines an inner surface and an outer surface and the absorbent section is disposed on the inner surface of the stretchable carrier layer.

K-C Docket No.: 19,043
Serial No.: 10/750,188

7. The disposable absorbent garment of claim 1, wherein an elastic layer is attached to the stretchable carrier layer on both sides of the lateral centerline in the back waist region.
8. The disposable absorbent garment of claim 1, wherein an elastic layer is attached to the stretchable carrier layer on both sides of the lateral centerline in the back waist region and the front waist region.
9. The disposable absorbent garment of claim 1, wherein the stretchable carrier layer is extensible in the lateral direction.
10. The disposable absorbent garment of claim 1, wherein the elastic layer has a fastener element attached.
11. The disposable absorbent garment of claim 7, wherein an elastic ear material is bonded to a longitudinal side edge of the elastic layer.
12. The disposable absorbent garment of claim 11, wherein the elastic ear material has a fastener element attached.

K-C Docket No.: 19,043

Serial No.: 10/750,188

13. A method of making a disposable absorbent garment that defines a front waist region, a back waist region, a crotch region that extends between and connects the waist regions, a longitudinal direction and a lateral direction, the method comprising:

a) providing a first continuous web, the first continuous web comprising a stretchable carrier layer and intermittent elastic material segments, wherein the stretchable carrier layer extends from one intermittent elastic material segment to the next intermittent elastic material segment in a machine direction;

b) providing a second continuous web, the second continuous web comprising a liquid barrier material;

c) joining the first continuous web in facing relationship with the second continuous web to form an outer cover web;

d) providing a series of absorbent assemblies and attaching the absorbent assemblies to the outer cover web to form a garment web; and

e) selectively cutting the garment web into individual garments, generally bisecting the intermittent elastic material segments in the lateral direction.

14. The method of claim 13, further comprising the additional step of providing a liner web in facing relationship with the absorbent assemblies prior to selectively cutting the garment web.

K-C Docket No.: 19,043

Serial No.: 10/750,188

15. A method of making a disposable absorbent garment that defines a front waist region, a back waist region, a crotch region that extends between and connects the waist regions, a longitudinal direction and a lateral direction, the method comprising:

- a) providing a first continuous web, the first continuous web comprising a liquid barrier material and having an outer surface and an inner surface;
- b) providing a series of absorbent assemblies and attaching the absorbent assemblies to the inner surface of the first continuous web;
- c) providing a second continuous web in facing relationship with the inner surface of the first continuous web to form a garment web, the second continuous web comprising a stretchable carrier layer and intermittent elastic material segments, wherein the stretchable carrier layer extends from one intermittent elastic material segment to the next intermittent elastic material segment in a machine direction; and
- e) selectively cutting the garment web into individual garments, generally bisecting the intermittent elastic material segments in the lateral direction.

16. The method of claim 15, wherein the stretchable carrier layer has an outer surface and an inner surface and the intermittent elastic material segments are attached to the inner surface.